

# CERTIFICATE OF COMPLIANCE

**Certificate Number** 20181114-E483360  
**Report Reference** E483360-20181106  
**Issue Date** 2018-NOVEMBER-14

**Issued to:** Ningbo Turn-link Network Communication Equipment Co  
Ltd  
NO 468 Botao Road Binhai Zone East of Cixi  
Ningbo  
Zhejiang 315338 CHINA

**This certificate confirms that  
representative samples of**

COMPONENT - RELOCATABLE POWER TAPS;  
COMPONENT - SURGE-PROTECTIVE DEVICES  
SEE ADDENDUM PAGE

Have been investigated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

**Standard(s) for Safety:** UL 1449 Surge Protective Devices  
UL 1363 Relocatable Power Taps

**Additional Information:** See the UL Online Certifications Directory at <https://iq.ulprospector.com> for additional information.

This *Certificate of Compliance* does not provide authorization to apply the UL Recognized Component Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.



Bruce Mahrenholz, Director North American Certification Program  
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



# CERTIFICATE OF COMPLIANCE

**Certificate Number** 20181114-E483360  
**Report Reference** E483360-20181106  
**Issue Date** 2018-NOVEMBER-14

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Cat No's: TUL-USA(15)N1006WXD1KPDY20B19A (a), TUL-USA(15)N1010WKPDY20B19A (a), TUL-USA(15)N1008WKPDY30B19A (a)

Footnote (a) - Complementary Recognized as Relocatable Power Tap.

**Notes:**

1. Suitable for Factory wiring only.
2. Suitable for Field and Factory wiring.
3. Series External Impedance required see Electrical Ratings in report.
4. Series External Overcurrent Protection required see Electrical Ratings in report.
5. Body of discrete component metal-oxide varistors (MOVs) flammability
  - a) min. V-0 or VTM-0.
  - b) min. V-1 or VTM-1.
  - c) Complies with IEC 60950-1, Edition 2.2, Annex Q/IEC62368-1 Annex G.8.2 needle flame testing requirements.
  - d) Complies with IEC 60065, Edition 7.2, Annex G.1.1 needle flame testing requirements.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/about/locations/>

